

MASTERALL

HIGHLY RESILIENT

Inspired by the BACKDRAFT model, MASTERALL goggles offer total reinforced protection thanks to the double lens and its anti-fog technology. Ideal for offshore and the petrochemical environment.

 PLATINUM



MASTEDEPSI




MASTSOS



bEQUALIZER


112 g

- + ULTRA-COMPACT**
- + SEALED PVC FRAME**
- + COMFORT FOAM**
- + DOUBLE LENS**
- +  PLATINUM (+P) COATING**
- + EQUALIZER TECHNOLOGY**
- + NEOPRENE STRAP : BETTER RESISTANCE TO OIL AND WATER**

bolle
SAFETY

MASTERALL

HIGHLY RESILIENT

MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
MASTERALL	Sealed	MASTEDEPSI	2C-1,2  1 BT KN C€	 EN166 3 4 5 BT C€	Anti-scratch/Anti-fog 

LENS MARKING

Optical class symbols:

1. Continuous work

Mechanical strength symbols:

B. Medium energy impact, resists a 6 mm, 0.86 g ball at 120 m/s.

T. The letter T, immediately after the mechanical strength symbol, authorises use for high speed particles at extreme temperatures.

Others symbols:

K. Resistance to surface damage by fine particles (optional)

N. Resistance to fogging (optional)

C€ European standard  Manufacturer name

FRAME MARKING

EN 166: guaranteed minimum resistance of the protective eyewear against everyday risks including dropping the protective eyewear onto the ground, ageing by light exposure, exposure to heat or corrosion etc.


3. Liquid droplets or splashes.

4. Large dust particles > 5 microns.

5. Gas and fine dust particles < 5 microns.

B. Medium energy impact, resists a 6 mm, 0.86 g ball at 120 m/s.

T. The letter T, immediately after the mechanical strength symbol, authorises use for high speed particles at extreme temperatures.

C€ European standard  Manufacturer name

Bollé Safety product approval certificates to CE standards will be sent on request.

TECHNOLOGY

PLATINUM

This permanent coating on both sides of the lens gives them a high resistance to scratching, to the most aggressive chemicals and delays the onset of fogging.

In all circumstances and at all times the PLATINUM lens innovation guarantees your eyes improved protection.

EQUALIZER

Equalizer is the high performance goggle system for protecting against fog. Thanks to its double lens and regulation patch, the equalizer filters and regulates moisture levels in the goggles.

CLEANING AND STORAGE

CLEANING: The lenses should be cleaned regularly. Bollé Safety recommends only using the B-clean lens cleaning system.

MAINTENANCE: Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the spectacles or goggles in a microfiber pouch or rigid case.

STORAGE: All products must be stored in a dry and clean environment.

PACKAGING AND EAN 13 CODE

	MASTEDEPSI
Individual plastic bag	3660740007782
Box of 5 safety goggles	3660740107789
65 safety goggle per outer pack	3660740207786

CHARACTERISTICS

LENSES	PC - inside: 1,4 mm PC - outside: 2.2 mm curve 7C
FRAME	PVC
TEMPLES	NA
STRAP	Neoprene
FOAM	SBR



30/07/2015

Europe Bollé Safety
95 rue Louis Guérin
69100 Villeurbanne - France
Tél. : 00 33 (0) 4 78 85 23 64
Fax : 00 33 (0) 4 78 85 28 56
contact@bolle-safety.com

bolle-safety.com

U.K. / Ireland Bollé Safety
Unit C83 - Barwell Business Park Leatherhead Road - Chessington
Surrey - KT9 2NY
Tél. : 00 44 (0)208 391 4700
Fax : 00 44 (0)208 391 4733
e-mail : sales@bolle-safety.co.uk

bolle
SAFETY